

RECEIVED  
CENTRAL FAX CENTER

Docket No. GJE-7235



APR 16 2007

In the claims

The following amendments are made with respect to the claims in the International application PCT/GB2004/002622.

This listing of claims will replace all prior versions and listings of claims in this application.

1 (Original). A compound of formula (I) or formula (II)



wherein

A and C are the same or different and are each a bond,  $-(CH_2)_n-$ ,  $-C(R^b)_2-$ ,  $-Si(R^c)_2-$ ,  $-O-$ ,  $-S(O)_m-$ ,  $-N=$ ,  $-N(R^b)-$ ,  $-N(R^c)C(=X)-$  or  $-C(=X)-$ ;

B is  $-(CH_2)_n-$ ,  $-O-$ ,  $-C(R^b)_2-$ ,  $-Si(R^c)_2-$ ,  $-C(R^b)-C(R^b)-$ ,  $-C(R^b)=$ ,  $-(CH_2)_nC(R^b)_2-$ ,  $-C(R^b)_2(CH_2)_n-$  or  $-CH(R^b)CH(R^b)-$ ;

wherein any of A, B and C is optionally substituted with  $-Si(R^b)_3$ ;

D is  $-(CH_2)_n-$ ,  $-C(=X)-$ ,  $-O-$ ,  $-S(O)_m-$ ,  $-C(=X)N(R^c)-$ ,  $-C(R^b)_2-$ ,  $-C(R^b)=C(R^b)-$ ,  $-CH(R^b)CH(R^b)-$ ;

E is optionally present and is  $-(CH_2)_n-$ ,  $-N(R^d)-$ ,  $-(CH_2)_nN(R^d)-$  or  $-N(R^d)(CH_2)_n-$ ;

F is  $-C(=X)-$  or  $-N(R^d)-$ ;

G is  $-(CH_2)_n-$ ,  $-N(R^d)-$ ,  $-(CH_2)_nN(R^d)-$  or  $-N(R^d)(CH_2)_n-$ ;

J is optionally present and is  $-O-$ ,  $-N(R^c)C(=X)-$ ,  $-C(=X)N(R^c)-$ ,  $-S(O)_m-$ ,  $-N(R^c)S(O)_m-$ ,  $-S(O)_mN(R^c)-$  or  $-N(R^c)-$ ;

K is optionally present and is alkylene optionally substituted with  $R^b$ ; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with  $R^a$ ;

J:\GJE7235\F000\UMFN\CS\Pict\Amend.dwg\key

L is hydrogen, halogen,  $-N(R^f)_2$ , cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with  $R^a$ ,  $-C(=X)OR^d$ ,  $-OH$ ,  $-OR^e$ ,  $-C(=X)N(R^b)(R^c)$ ,  $-S(O)_mN(R^b)(R^c)$  or  $-CN$ ;

each  $R^a$  is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy,  $-alkoxy-(CH_2)_nC(O)_2R^b$ ,  $-O-aryl$ ,  $-C(=X)R^c$ ,  $-NO_2$ ,  $-CN$ ,  $-N(R^c)C(=X)R^c$ ,  $-C(=X)N(R^c)_2$ ,  $-S(O)_2N(R^c)_2$  or  $-N(R^c)_2$ ;

each  $R^b$  is the same or different and is hydrogen or alkyl;

each  $R^c$  is the same or different and is alkyl, cycloalkyl,  $-alkyl-aryl$ ,  $-alkyl-cycloalkyl$  or aryl optionally substituted with  $R^2$ ;

each  $R^d$  is the same or different and is hydrogen, alkyl or aryl optionally substituted with  $R^b$ ;

each  $R^e$  is the same or different and is hydrogen or alkyl; or  $R^e$  is aryl or heteroaryl, either of which is optionally substituted with  $R^a$ ;

each  $R^f$  is the same or different and is hydrogen or alkyl; or  $R^f-N-R^f$  taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

$R^g-C-R^g$  taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with  $R^a$ ;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof.

2 (Currently amended).      [[A]] The compound according to claim 1, which is of formula (1).

3 (Currently amended).      [[A]] The compound according to claim 1 [[or claim 2]], wherein A and/or C is  $-Si(R^e)_2-$ .

4 (Currently amended). [[A]] The compound according to claim 3, wherein each  $R^c$  is the same or different and is alkyl.

5 (Currently amended). [[A]] The compound according to claim 1 [[or claim 2]], wherein A and/or C is  $-C(R^b)_2-$ ,  $-(CH_2)_n-$ ,  $-N(R^b)-$  or  $-O-$ .

6 (Currently amended). [[A]] The compound according to claim 5, wherein each  $R^b$  is the same or different and is hydrogen or alkyl.

7 (Currently amended). [[A]] The compound according to any preceding claim 1, wherein B is  $-(CH_2)_n-$ ,  $-C(R^b)_2-$ ,  $-CH(R^b)CH(R^b)-$ ,  $-C(R^b)=C(R^b)-$ , or  $-CH_2-C(R^b)_2-$ .

8 (Currently amended). [[A]] The compound according to claim 7, wherein each  $R^b$  is the same or different and is hydrogen or alkyl.

9 (Currently amended). [[A]] The compound according to any preceding claim 1, wherein D is  $-O-$ ,  $-S-$  or  $-CH_2-$ .

10 (Currently amended). [[A]] The compound according to any preceding claim 1, wherein E is absent.

11 (Currently amended). [[A]] The compound according to any preceding claim 1, wherein F is  $-C(O)-$ .

12 (Currently amended). [[A]] The compound according to any preceding claim 1, wherein G is  $-N(R^d)-$ .

13 (Currently amended). [[A]] The compound according to claim 12, wherein  $R^d$  is hydrogen.

14 (Currently amended). [[A]] The compound according to any preceding claim 1, wherein J and K are absent, and L is hydrogen or  $-N(R^f)_2$ .

15 (Currently amended). ~~[[A]] The compound according to [[any of]] claim[[s]] 1~~ ~~[[to 13]]~~, wherein J is -NH-, K is alkylene and L is heterocycloalkyl.

16 (Currently amended). ~~[[A]] The compound according to any-preceding claim~~ 1, wherein Ring 1 is heteroarylene.

17 (Currently amended). ~~[[A]] The compound according to claim 16, wherein~~ Ring 1 is furanylene.

18 (Currently amended). ~~[[A]] The compound according to any-preceding claim~~ 1, wherein Ring 2 is phenyl, pyrimidinyl or pyridinyl, any of which is optionally substituted.

19 (Currently amended). ~~[[A]] The compound according to claim 18, wherein~~ Ring 2 is substituted 1, 2 or 3 times, the substituents being the same or different in each occurrence and selected from alkoxy and halogen.

20 (Currently amended). ~~[[A]] The compound according to claim 1, selected~~ from:

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide; 5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

J:\GJE\7235\DOCUMENTS\7235\amend.doc/hey

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

JACBIA/235000 URGENTSM/Almond.doc/hey

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-trimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

BACKUP7235 DOCUMENTS\mcl\Amend.doc\key

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide; 5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;



5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,6-dimethoxyphenyl) furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxyphenyl) furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl) furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl) furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl) furan-2-carboxamide;

J:\GJE\7235\DOCUMENTS\Fire\Amend.docx\flucy

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*HH*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*HH*-inden-5-yloxy]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*HH*-inden-5-yloxy]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*HH*-inden-5-yloxy]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*HH*-inden-5-yloxy]-*N*-(2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*HH*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*HH*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

J:\GJE\7235\DOCUMENTS\PatAmend.doc\key

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

1XGJTX7235DOC\DOCUMENTS\PreAmend doc\key

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2-[3-(4-methyl)piperazin-1-yl]propylamino)-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2-(3-morpholinopropylamino)-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydroinden-6-yl)methyl]-*N*-(4-chloro-2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{[2-(2-morpholin-4-yl)-ethylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,6-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-5-oxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(7'-hydroxy-1,1,1',1',6,6'-hexamethyl-3,3'-spiro-1,1'-disila-4,4'-dioxo-1,1',2,2',3,3',4,4'-octahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[1,1,2,6-tetramethyl-3-(2-propyl)-1-sila-2,3-dihydroinden-5-yloxy]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,4,4-pentamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide.

5-(1,1,5-trimethyl-1-sila-2,3-dihydroinden-6-yloxy)-*N*-(4-chloro-2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,5-pentamethyl-1-sila-2,3-dihydroinden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1-sila-2,3-dihydroinden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

\\KJ157235\DOCUMENTS\Prelim\mend.doc/hey

5-(8-methoxy-1,1,4,4,6-pentamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)-*N*-propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4-dimethoxypyridin-3-yl)furan-2-carboxamide[.];


5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide; and

5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-[2-(2-*N,N*-dimethylaminoethyl)-4,6-trimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide[.];


21 (Currently amended). [[A]] The compound according to any preceding claim 1, which is in the form of a single enantiomer or diastereomer or tautomer.

22 (Canceled)

23 (Currently amended). A pharmaceutical composition comprising a compound of formula (I) or formula (II)



(I)



(II)

wherein

A and C are the same or different and are each a bond,  $-(CH_2)_n$ ,  $-C(R^b)_2$ ,  $-Si(R^c)_2$ ,  $-O-$ ,  $-S(O)_2$ ,  $-N=$ ,  $-N(R^b)-$ ,  $-N(R^c)C(=X)-$  or  $-C(=X)-$ ;

B is  $-(CH_2)_n$ ,  $-O-$ ,  $-C(R^b)_2$ ,  $-Si(R^c)_2$ ,  $-C(R^b)=C(R^b)-$ ,  $-C(R^b)-$ ,  $-(CH_2)_nC(R^b)_2$ ,  $-C(R^b)(CH_2)_n$  or  $-CH(R^b)CH(R^b)-$ ;

wherein any of A, B and C is optionally substituted with  $-Si(R^c)_2$ ;



D is  $-(CH_2)_m$ ,  $-C(=X)_n$ ,  $-O$ ,  $-S(O)_n$ ,  $-C(=X)N(R^c)$ ,  $-C(R^b)_2$ ,  $-C(R^b)=C(R^b)$ ,  $-CH(R^b)CH(R^b)$ ;

E is optionally present and is  $-(CH_2)_n$ ,  $-N(R^d)$ ,  $-(CH_2)_nN(R^d)$  or  $-N(R^d)(CH_2)_n$ ;

F is  $-C(=X)$  or  $-N(R^d)$ ;

G is  $-(CH_2)_n$ ,  $-N(R^d)$ ,  $-(CH_2)_nN(R^d)$  or  $-N(R^d)(CH_2)_n$ ;

L is optionally present and is  $-O$ ,  $-N(R^c)C(=X)$ ,  $-C(=X)N(R^c)$ ,  $-S(O)_n$ ,  $-N(R^c)S(O)_n$ ,  $-S(O)_nN(R^c)$  or  $-N(R^c)$ ;

K is optionally present and is alkylene optionally substituted with  $R^a$ ; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with  $R^a$ ;

L is hydrogen, halogen,  $-N(R^f)_2$ , cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with  $R^a$ ,  $-C(=X)OR^d$ ,  $-OH$ ,  $-OR^d$ ,  $-C(=X)N(R^b)(R^c)$ ,  $-S(O)_nN(R^b)(R^c)$  or  $-CN$ ;

each  $R^a$  is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, alkoxy- $(CH_2)_nC(O)_2R^b$ ,  $-O$ -aryl,  $-C(=X)R^c$ ,  $-NO_2$ ,  $-CN$ ,  $-N(R^c)C(=X)R^c$ ,  $-C(=X)N(R^b)_2$ ,  $-S(O)_2N(R^c)_2$  or  $-N(R^c)_2$ ;

each  $R^b$  is the same or different and is hydrogen or alkyl;

each  $R^c$  is the same or different and is alkyl, cycloalkyl,  $-alkyl$ -aryl,  $-alkyl$ -cycloalkyl or aryl optionally substituted with  $R^a$ ;

each  $R^d$  is the same or different and is hydrogen, alkyl or aryl optionally substituted with  $R^a$ ;

each  $R^e$  is the same or different and is hydrogen or alkyl; or  $R^e$  is aryl or heteroaryl, either of which is optionally substituted with  $R^a$ ;

each  $R^f$  is the same or different and is hydrogen or alkyl; or  $R^f$ - $N$ - $R^f$  taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

$R^b$ ,  $C$ - $R^b$  taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

Rines 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with  $R^a$ ;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;



with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof;

a compound of any of claims 1 to 21 and a pharmaceutically acceptable diluent or carrier.

24 (Currently amended). The method, according to claim 31, Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for cancer therapy.

25 (Currently amended). A method for Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of endometriosis, uterine myoma, an ovarian disease, a mammary cystic disease, prostatic hypertrophy, amenorrhea, precocious puberty, premenstrual syndrome, a sex-steroid-dependent pathophysiology or benign prostatic hyperplasia, or to arrest spermatogenesis, wherein said method comprises administering, to a patient in need of such treatment, a compound of formula (I) or formula (II)



wherein

A and C are the same or different and are each a bond,  $-(CH_2)_n-$ ,  $-C(R^b)_2-$ ,  $-Si(R^c)_2-$ ,  $-O-$ ,  $-S(O)_m-$ ,  $-N-$ ,  $-N(R^b)-$ ,  $-N(R^c)C(=X)-$  or  $-C(=X)-$ ;

B is  $-(CH_2)_n-$ ,  $-O-$ ,  $-C(R^b)_2-$ ,  $-Si(R^c)_2-$ ,  $-C(R^b)=C(R^b)-$ ,  $-C(R^b)=$ ,  $-(CH_2)_nC(R^b)_2-$ ,  $-C(R^b)(CH_2)_n-$  or  $-CH(R^b)CH(R^b)-$ ;

wherein any of A, B and C is optionally substituted with  $-Si(R^c)_2$ ;

D is  $-(CH_2)_n-$ ,  $-C(=X)-$ ,  $-O-$ ,  $-S(O)_m-$ ,  $-C(=X)N(R^c)-$ ,  $-C(R^b)_2-$ ,  $-C(R^b)-$ ,  $-C(R^b)-C(R^b)-$ ,  $-CH(R^b)CH(R^b)-$ ;

J:G:\3725\DOCUMENTS\Prd\Amend.doc\hey

E is optionally present and is  $-(CH_2)_m-N(R^d)-$ ,  $-(CH_2)_mN(R^d)-$  or  $-N(R^d)(CH_2)_m-$ ;

E is  $-C(=X)-$  or  $-N(R^d)-$ ;

G is  $-(CH_2)_n-N(R^d)-$ ,  $-(CH_2)_nN(R^d)-$  or  $-N(R^d)(CH_2)_n-$ ;

I is optionally present and is  $-O-$ ,  $-N(R^e)C(=X)-$ ,  $-C(=X)N(R^e)-$ ,  $-S(O)_m-$ ,  $-N(R^e)S(O)_m-$ ,  $-S(O)_mN(R^e)-$  or  $-N(R^e)-$ ;

K is optionally present and is alkylene optionally substituted with  $R^b$ ; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkenylene or heteroarylene, any of which is optionally substituted with  $R^b$ ;

L is hydrogen, halogen,  $-N(R^f)_2$ , cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with  $R^a$ ,  $-C(=X)OR^d$ ,  $-OH$ ,  $-OR^e$ ,  $-C(=X)N(R^b)(R^c)$ ,  $-S(O)_mN(R^b)(R^c)$  or  $-CN$ ;

each  $R^a$  is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy,  $-alkoxy-(CH_2)_nC(O)R^b$ ,  $-O-aryl$ ,  $-C(=X)R^c$ ,  $-NO_2$ ,  $-CN$ ,  $-N(R^e)C(=X)R^c$ ,  $-C(=X)N(R^b)-$ ,  $-S(O)_mN(R^b)-$  or  $-N(R^e)_2$ ;

each  $R^b$  is the same or different and is hydrogen or alkyl;

each  $R^c$  is the same or different and is alkyl, cycloalkyl,  $-alkyl-aryl$ ,  $-alkyl-cycloalkyl$  or aryl optionally substituted with  $R^a$ ;

each  $R^d$  is the same or different and is hydrogen, alkyl or aryl optionally substituted with  $R^a$ ;

each  $R^e$  is the same or different and is hydrogen or alkyl; or  $R^e$  is aryl or heteroaryl, either of which is optionally substituted with  $R^a$ ;

each  $R^f$  is the same or different and is hydrogen or alkyl; or  $R^f-N-R^f$  taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

$R^a-C-R^a$  taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with  $R^a$ ;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof.

26 (Currently amended). The [[use]] method according to claim 25, for the treatment or prevention of endometriosis with pain, polycystic ovarian disease or secondary amenorrhea.

27 (Currently amended). The method, according to claim 31, Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of Alzheimer's disease.

28 (Currently amended). The method, according to claim 31, Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of HIV infection or AIDS.

29 (Currently amended). The method, according to claim 31, Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of a disease caused by thymic malfunction,

30 (Currently amended). The method, according to claim 31, Use according to claim 29, for the treatment or prevention of multiple sclerosis, rheumatoid arthritis or type 1 diabetes.


31 (New). A method for the treatment or prevention of one or more of the following conditions:

- a. cancer,
- b. Alzheimer's disease,
- c. HIV infection or AIDS,
- d. a disease caused by thymic malfunction, and
- e. multiple sclerosis, rheumatoid arthritis or type 1 diabetes,


wherein said method comprises administering, to a patient in need of such treatment, a compound of formula (I) or formula (II)

23

Docket No. GJI-7235



(I)



(II)

wherein

A and C are the same or different and are each a bond,  $-(CH_2)_n-$ ,  $-C(R^b)_2-$ ,  $-Si(R^c)_2-$ ,  $-O-$ ,  $-S(O)_m-$ ,  $-N=$ ,  $-N(R^b)-$ ,  $-N(R^c)C(=X)-$  or  $-C(=X)-$ ;

B is  $-(CH_2)_n-$ ,  $-O-$ ,  $-C(R^b)_2-$ ,  $-Si(R^c)_2-$ ,  $-C(R^b)=C(R^b)-$ ,  $-C(R^b)=$ ,  $-(CH_2)_nC(R^b)_2-$ ,  $-C(R^b)_2(CH_2)_n-$  or  $-CH(R^b)CH(R^b)-$ ;

wherein any of A, B and C is optionally substituted with  $-Si(R^c)_3$ ;

D is  $-(CH_2)_n-$ ,  $-C(=X)-$ ,  $-O-$ ,  $-S(O)_m-$ ,  $-C(=X)N(R^c)-$ ,  $-C(R^b)_2-$ ,  $-C(R^b)-C(R^b)-$ ,  $-CH(R^b)CH(R^b)-$ ;

E is optionally present and is  $-(CH_2)_n-$ ,  $-N(R^d)-$ ,  $-(CH_2)_nN(R^d)-$  or  $-N(R^d)(CH_2)_n-$ ;

F is  $-C(=X)-$  or  $-N(R^d)-$ ;

G is  $-(CH_2)_n-$ ,  $-N(R^d)-$ ,  $-(CH_2)_nN(R^d)-$  or  $-N(R^d)(CH_2)_n-$ ;

J is optionally present and is  $-O-$ ,  $-N(R^c)C(=X)-$ ,  $-C(=X)N(R^c)-$ ,  $-S(O)_m-$ ,  $-N(R^c)S(O)_m-$ ,  $-S(O)_mN(R^c)-$  or  $-N(R^c)-$ ;

K is optionally present and is alkylene optionally substituted with  $R^b$ ; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with  $R^b$ ;

L is hydrogen, halogen,  $-N(R^f)_2$ , cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with  $R^b$ ,  $-C(=X)OR^d$ ,  $-OH$ ,  $-OR^c$ ,  $-C(=X)N(R^b)(R^c)$ ,  $-S(O)_mN(R^b)(R^c)$  or  $-CN$ ;

each  $R^a$  is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy,  $-alkoxy-(CH_2)_nC(O)_2R^b$ ,  $-O-aryl$ ,  $-C(=X)R^c$ ,  $-NO_2$ ,  $-CN$ ,  $-N(R^c)C(=X)R^c$ ,  $-C(=X)N(R^c)_2$ ,  $-S(O)_2N(R^c)_2$  or  $-N(R^c)_2$ ;

each  $R^b$  is the same or different and is hydrogen or alkyl;

J:\J1\7235\DOCUMENTS\FelA\mnd\hoy

each  $R^c$  is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with  $R^a$ ;

each  $R^d$  is the same or different and is hydrogen, alkyl or aryl optionally substituted with  $R^a$ ;

each  $R^e$  is the same or different and is hydrogen or alkyl; or  $R^e$  is aryl or heteroaryl, either of which is optionally substituted with  $R^a$ ;

each  $R^f$  is the same or different and is hydrogen or alkyl; or  $R^f-N-R^f$  taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

$R^g-C-R^g$  taken together form heterocycetyl;

each  $X$  is the same or different and is oxygen or sulphur;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with  $R^a$ ;

each  $m$  is the same or different and is 0, 1 or 2; and

each  $n$  is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof.